



ONLY USED FOR ANIMAL HEALTH

PASTEDOLL-3

INJECTABLE SOLUTION

**INACTIVE PASTEURALLOSIS VACCINE
FOR SHEEP, GOATS AND CATTLE**

NAME AND POWER OF ACTIVE SUBSTANCES, AND AUXILIARY SUBSTANCES, IF IT EXIST:

VACCINE COMPOSITION:

Minimum following rates will be used for each dose.

1 dose of vaccine (2 ml)	Number of organisms, amount
Pasteurella multocida type 1 (Robert)	10 ⁴ PD
Pasteurella (Mannheimia) haemolytica A1	42 UE
Pasteurella (Mannheimia) haemolytica A2	42 UE
Formaldehyde (%37)	% 0.4
Aluminum hydroxide gel	% 0.8
Thiomersal	0,0001 gr
Distilled Water	2 ml

INDICATIONS:

It is applied to prevent infections caused by Pasteurella in sheep, goats and cattle.

CONTRAINDICATIONS:

It should not be administered to infected animals or animals within the incubation period.

SIDE EFFECTS:

Nodules ranging from hazelnut size to walnut size, which are seen at the vaccine application site and then disappear, are a normal vaccine reaction.

TARGET ANIMALS:

Applied to sheep, goats and cattle and lamb kids and calves.

DOSAGE, METHOD AND ROUTE OF ADMINISTRATION FOR EACH SPECIES:

-The animals to be vaccinated for the first time are vaccinated 2 times with an interval of 4 weeks. Later on, effective immunity is maintained through annual vaccines.

-Calves and calves (up to 100 kg): 2 ml

-Cattle (more than 100 kg): 4ml

-Lamb and kids: 1 ml

-Sheep and goats: 2 ml

-All animals are vaccinated from the 3rd week.

WITHDRAWAL TIME FOR ANIMAL ORIGIN PRODUCTS:

0 days.

PRESENTATION:

10, 25, 50, with glass caps in colored glass bottles of 20, 50 and 100 mL of vaccine or plastic bottles of 20, 50, 100, 200, 250 and 500 mL. 100, 125 and 250 sheep doses; It will be available in packages containing 5, 12, 25, 50, 62 and 125 cattle doses.

ONLY USED FOR ANIMAL HEALTH

PASTEDOLL-3

INJECTABLE SOLUTION



**INACTIVE PASTEURALLOSIS VACCINE
FOR SHEEP, GOATS AND CATTLE**

STORAGE CONDITIONS AND SHELF LIFE:

Store in the dark at + 2 / 8°C. Shelf life is 2 years.

WARNINGS:

Adrenergic or antihistamine preparations should be applied against anaphylactic shocks, which may be seen shortly after vaccination in sensitive animals.

PRECAUTIONS THAT THE VETERINARY TECHNICIAN SHOULD TAKE AND RECOMMENDATIONS FOR VETERINARIAN:

When starting vaccination, the vaccine bottles should be

-Shaken vigorously and this process should be continued until the end of vaccination.

-Each opened vaccine bottle should be used on the same day. Unfinished or empty vaccine bottles should be disposed of properly.

-Vaccines exposed to high temperatures and sunlight and frozen vaccines should never be used.

-Animals to be vaccinated must be healthy.

-Asepsis and antiseptics rules should be followed in vaccine applications.

-Adrenergic and antihistamine preparations should be applied against anaphylactic shocks that may be seen shortly after vaccination in sensitive animals.

-Although there is no harm in administering the vaccine to pregnant animals, it is not recommended to apply to advanced pregnant women (in the last 1/3 of pregnancy).

-PASTEDOLL-3 should only be administered by a veterinary technicians or a veterinarian.

DISPOSAL OF WASTE AND UNUSED PRODUCTS:

Vaccines that do not meet the conditions of use (exposed to high temperatures or sunlight, frozen, packaging integrity, caps, stoppers or labels have lost their originality) are reported to Dollvet A.Ş. After vaccines are sterilized in an autoclave, they are discharged, the empty bottles are discarded into glass containers.

“Keep out of reach of children”

“Consult the veterinarian when an unexpected effect is seen”



THE MARKETING AUTHORIZATION ISSUED BY MINISTRY OF AGRICULTURE AND FORESTRY, DATE AND NUMBER :

NAME AND ADDRESS OF MARKETING AUTHORIZATION HOLDER:

Dollvet Veteriner Aşı İlaç Biyolojik Madde Üretim Sanayi ve Ticaret A.Ş.

Mehmet Nesih Özmen Mah. Kasım Sok. D Blok Apt. No:7 Çiğözü/İSTANBUL - TURKEY

E-mail: dollvet@dollvet.com.tr / Phone: +90 212 422 02 01 / Fax: +90 212 422 00 72

NAME AND ADDRESS OF THE PLACE OF PRODUCTION:

Dollvet Veteriner Aşı İlaç Biyolojik Madde Üretim Sanayi ve Ticaret A.Ş.

Organize Sanayi Bölgesi Koçören OSB Mahallesi 106. Caddesi No:4 Eyyübiye/ŞANLIURFA - TURKEY

E-mail: dollvet@dollvet.com.tr / Phone: +90 414 369 11 33 / Fax: +90 414 369 16 62